[c2]

CLAIMS

I/we claim:

A method of playing a game on a server by a user on a client device, the game containing a persistent game world, comprising:

disconnecting from the game on the server at a time when the user is at a particular state of the game, wherein the disconnection ends a first session;

reconnecting to the game at a later time;

transmitting identifying information to the server; and

playing the game in a second session, wherein the state of the game at the beginning of the second session is based on the state of the game at the end of the first session.

- 2. The method of claim 1 further comprising selecting a WML link to advance the state of the game.
- [c3] 3. The method of claim 1 wherein the client device is a wireless phone.
- [04] 4. The method of claim 1 wherein the client device is a wireless device.
- [c5] 5. The method of claim 1 wherein the state of the game at the end of the first session and the state of the game at the beginning of the second session are the same.
- [c6] 6. The method of claim 1 wherein the state of the game at the beginning of the second session constitutes a progression beyond the state of the game at the end of the first session.

Q:/Clients/nGame (34500)/8003/US01/8003US1 application.doc] -24-

[c8]

[c7] 7. A method for providing a gaming environment for one or more users on client devices comprising:

for each client device, maintaining a game state on a server;

when a dient device reconnects to the server, transmitting to the reconnecting client device a game state based on the game state maintained on the server.

8. The method of claim 7 wherein at least one of the client devices is a wireless phone.

9. The method of claim 7 wherein at least one of the client devices is a wireless device.

[c10] 10. The method of claim 7 further comprising providing a game world for a plurality of users, wherein the plurality of users are on a variety of different types of client devices.

11. A computer-readable medium whose contents cause a client device to assist a user in playing a game on a server, the game containing a persistent game world, comprising:

disconnecting from the game on the server, wherein the user is at a particular state of the game, wherein the disconnection ends an early session;

reconnecting to the game at a later time;

transmitting identifying information to the server; and

playing the game in a later session, wherein the state of the game at the beginning of the later session is based on the state of the game at the end of the early session.

[c11]

[c14]

- [c12] 12. The computer-readable medium of claim 11 further comprising selecting a WML link to advance the state of the game.
- at the end of the early session and the state of the game at the beginning of the later session are the same.
 - 14. An electronic gaming system for providing a gaming environment to one or more users on client devices, comprising:
 - a connection component for disconnecting from or connecting to the game on the server;
 - a transmission component for transmitting identifying information to the server; and
 - a game playing component, the game playing component starting a second session at a game state based on a game state achieved during a previous gaming session.
- [c15] 15. The electronic gaming system of claim 14 further comprising a selection component for selecting a WML link to advance the state of the game.
- [c16] 16. The electronic gaming system of claim 14 wherein the client device is a wireless phone.
- [c17] 17. A electronic gaming system for providing a gaming environment for one or more users on client devices comprising:
 - a maintenance component for maintaining a game state on a server for any client;
 - a connection component for reconnecting to the server; and



a reception component for receiving a game state at a client device, wherein the game state is based on the maintained game state.

[c18]

The electronic gaming system of claim 17 wherein at least one of the 18. client devices is a wireless phone.

[c19]

19. The electronic gaming system of claim 17 further comprising a game world for a plurality of users, wherein the plurality of users are on a variety of different client devices.